Scale-up BP: supervised self-monitoring of blood pressure

Mary Paterson¹, Brian McKinstry¹, Grahame Cumming² and Elizabeth Payne³

Background: The problem in GP practices


- · GP practices are struggling to maintain services
- BP measurement is a major use of GP and practice nurse time
- · Telehealth data are not linked to the practice systems
- Clinicians can have problems accessing telehealth websites and so are reluctant to scale up telemonitoring systems

Methodology 1: A patient centred solution

- · Patients are issued with a BP monitor
- Patients sign a consent form to acknowledge that this system does not replace their GP and nurse care
- · Patients are sent a text reminder to take BP at home
- Patients text their reading to a website using the Simple telehealth Florence system¹



Methodology 2: The report solution for practices




- · Docman reports of the readings are created
- Reports are reviewed by the GP or practice nurse monthly or 3 monthly
- · BP readings and an average are displayed
- An alert is shown when the target is not met, with advice to consider intervention

Aims and objectives

- · Patient self-management is supported
- Patient health is improved by identifying over and under treated BP
- A partnership approach is developed between the patient and clinician
- · Staff have access to reliable information
- Time is freed up for clinicians

Results: Positive feedback from patients and GP practices

- 50 practices in Lothian have been recruited
- · Over 850 patients are home monitoring BP and texting readings
- · Patients appreciate the convenience of the system
- Staff value the reports delivered through routine information systems
- · The need for GP visits is reduced
- · A positive contribution is made to improving patient care in the community









1. Florence telehealth at www.simple.uk.net